## MONTANA CHEMICAL DEPENDENCY CENTER POLICY AND PROCEDURE MANUAL

Policy Subject: Safety/Maintenance Inspections	
Policy Number: STP 10	Standards/Statutes: ARM 37.27.121
Effective Date: 01/01/02	Page 1 of 3

**PURPOSE:** To assure a safe living and working environment for patients and staff.

**POLICY:** The Safety Officer will conduct Inspections every six months to note any safety or

maintenance issues.

## PROCEDURE:

- I. The Safety Officer will inspect all floors of the facility. The inspection will consist of a walk through of all rooms, hallways, stairwells, offices, cafeteria, auditorium and other areas that are used by staff or patients.
  - A. After the inspection the Safety Officer will fill out an Inspection Report covering the following items.
  - B. Floors free of oil/water, free of debris, flooring is secure, proper signing of wet floors, and rugs/mats are non-slip, free of obstructions.
  - C. Stairwells free of obstructions, flooring secure, free of oil/water, handrails secure/free of sharp edges, adequate lighting.
- II. Work Areas clean and orderly, materials stored in a secure manner, shelves not overloaded, proper lighting/ventilation, safety equipment readily accessible, no piles of debris or stored materials.
  - A. Tripping Hazards ensure floor surfaces are secure. Carpet, rugs, mats in good condition.
  - B. Proper Storage stored items are secure and do not present a safety/fire hazard, or leaning piles.
  - C. Waste Disposal garbage disposed in a proper/timely manner, garbage is not stacked or piled.

- D. Hazardous Material properly labeled, properly stored and disposed of. Safety equipment's readily accessible, proper disposal of needles/syringes.
- E. Fire Safety extinguishers are regularly checked/tagged, fully charged and easily accessible.
- F. Flammable in proper containers and labeled. No accumulation of combustible materials, boxes, rags, etc. Storage in appropriate cabinets.
- G. Designated smoking/non-smoking areas properly identified, adequate ashtrays, and no fire hazards.
- H. Fire Exits clearly marked, no obstructions, exit lights in working order, fire doors in working order, evacuation routes posted.
- I. Oxygen tanks properly labeled, securely fastened, stored in appropriate locations.
- J. Electrical cords not frayed, no exposed wires, properly grounded, prongs in good shape, correct rating and not a tripping hazard.
- III. Also on a weekly basis all equipment and electrical cords on the treatment floors are checked to assure that they are in good working condition. A check list is completed and submitted to the safety
- IV. officer where they are maintained in a ledger. If a problem is apparent the item Is removed from the floor and given to the safety officer to be repaired or disposed of.
  - A. Wall receptacles, light switches face plate in
  - B. safe condition.
  - C. Appliances safe operating condition, grounded properly.
  - D. Electrical panels are accessible and closed.
  - E. Windows not broken, cracked, missing or loose panes, need replaced.
  - F. Ceilings no loose, broken or missing tiles, no peeling paint, plaster, cracks, water sots. Light fixtures securely fastened.
  - G. Doors open/close safely, does not stick, hinges screws are tight.
    - 1. Work orders will be completed for any safety or maintenance deficiency and be submitted to the maintenance department.
    - 2. The pink copy of the work order will be retained and filed by the Safety Officer.
    - 3. The Safety Officer will check to assure that assigned personnel have corrected

deficiencies in a timely manner.

- 4. The original report will be retained and filed in the Safety Manual.
- 5. A copy of the report will be submitted to the Maintenance Supervisor.

Revisions:		
Prepared By: Marilyn Holm	Support Services Supervisor	March 2001
Name	Title	Date
Approved By:		March 2001
David I Peshek Ad	ministrator	March 2001